



# PRODUCT CATALOG



**High Quality Descaling Pumps and  
Much More.**

[www.kammakpumps.com](http://www.kammakpumps.com)

# PRODUCT RANGE

- Descaling Pumps
- Flushing Compressors
- Solar Filling Pumps
- Car Radiator Flush Machines
- Drain Cleaning Machines
- Drain Sewer Cameras
- Combi Boiler Cleaner
- Combi Boiler Protector
- Spare Parts



# WELCOME

KAMMAK; It is the first and leading manufacturer in Turkey of "Descaling Pumps" used for cleaning boilers, heating systems, heat exchangers, central heating systems, underfloor heating systems, plastic injection machines and solar energy systems. We have a wide variety of descaling pumps. Our products have unique features such as "heater, turbo air cleaning, dual cleaning". Our products are of high quality, original design and CE certified.

Our brand, which started sales in 1999, first delivered from stores, then started online sales and managed to introduce itself to all provinces of Turkey. With the growth of internet sales, it started to export and has distributors in more than 30 countries.

It continues its activities today on a 1200 m<sup>2</sup> closed area in the Bursa Besob Industrial Site area.





## PRATTIK-15 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 90 L / Min
- ✓ Tank Capacity : 15 L
- ✓ Flow Reverser
- ✓ 10 Kg
- ✓ 1 Year Warranty



## PRATTIK-25 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 90 L / Min
- ✓ Tank Capacity : 25 L
- ✓ Flow Reverser
- ✓ 11 Kg
- ✓ 1 Year Warranty





## PRATTIK-25 PLUS Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 90 L / Min
- ✓ Tank Capacity : 25 L
- ✓ Flow Reverser
- ✓ 11 Kg
- ✓ 1 Year Warranty



## PRATTIK-30 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 90 L / Min
- ✓ Tank Capacity : 30 L
- ✓ Flow Reverser
- ✓ 13 Kg
- ✓ 1 Year Warranty



## PRATTIK-30 POWERMAX Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 150 L / Min
- ✓ Tank Capacity : 30 L
- ✓ Flow Reverser
- ✓ 13 Kg
- ✓ 1 Year Warranty



## PRATTIK-40 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 1 Bar
- ✓ Flow Rate : 260 L / Min
- ✓ Tank Capacity : 40 L
- ✓ Flow Reverser
- ✓ 17,5 Kg
- ✓ 1 Year Warranty



## YAK-01 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L / Min
- ✓ Tank Capacity: 30 L
- ✓ 20 Kg
- ✓ 1 Year Warranty



## YAK-01 DUAL Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L / Min
- ✓ Tank Capacity: 30 L
- ✓ 21 Kg
- ✓ 1 Year Warranty



## YAK-02 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 4 Bar
- ✓ Flow Rate: 35 L / Min
- ✓ Tank Capacity: 10 L
- ✓ 10 Kg
- ✓ 1 Year Warranty



## PROF-01 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L
- ✓ Tank Capacity: 35 L
- ✓ Built-in Heating Element
- ✓ 21 Kg
- ✓ 1 Year Warranty



## PROF-02 Descaling Pump

✓ 220 V / 50 Hz

✓ 0.8 HP / 4 Bar

✓ Flow Rate: 63 L

✓ Tank Capacity: 35 L

✓ Built-in Heating Element

✓ Flow Reverser

✓ 21 Kg

✓ 1 Year Warranty



## PROF-03 Descaling Pump

✓ 220 V / 50 Hz

✓ 1 HP / 8 Bar

✓ Flow Rate: 50 L

✓ Tank Capacity: 35 L

✓ Built-in Heating Element

✓ Flow Reverser

✓ 24 Kg

✓ 1 Year Warranty



## PROF-05 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L
- ✓ Tank Capacity: 35 L
- ✓ Built-in Heating Element
- ✓ 25 Kg
- ✓ 1 Year Warranty



## PROMAX-T1 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L / Min
- ✓ Tank Capacity: 45 L
- ✓ Built-in Heating Element
- ✓ 25 Kg
- ✓ 1 Year Warranty



## PROMAX-T2 Descaling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L / Min
- ✓ Tank Capacity: 45 L
- ✓ Built-in Heating Element
- ✓ Flow Reverser
- ✓ 26 Kg
- ✓ 1 Year Warranty



## PROMAX-SHAKE Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L
- ✓ Tank Capacity: 45 L
- ✓ Built-in Heating Element
- ✓ Flow Reverser
- ✓ 31 Kg
- ✓ 1 Year Warranty



## PROMAX-SHAKE DIGITAL Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L
- ✓ Tank Capacity: 45 L
- ✓ Built-in Heating Element
- ✓ Flow Reverser
- ✓ 31 Kg
- ✓ 1 Year Warranty



## AIRPRO-1 Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 110 L
- ✓ Air Tank Capacity: 9 L
- ✓ 23 Kg
- ✓ 1 Year Warranty



## AIRPRO-2 Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 110 L
- ✓ Air Tank Capacity: 9 L
- ✓ Flow Reverser
- ✓ 24 Kg
- ✓ 1 Year Warranty



## BLACK-AIR Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 2 HP / 8 Bar
- ✓ Flow Rate: 140 L
- ✓ Air Tank Capacity: 24 L
- ✓ Flow Reverser
- ✓ 26,5 Kg
- ✓ 1 Year Warranty



## AIRPRO-1 DIGITAL Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 110 L
- ✓ Air Tank Capacity: 9 L
- ✓ 23 Kg
- ✓ 1 Year Warranty



## AIRPRO-2 DIGITAL Flushing Compressor

- ✓ Air Pulse Cleaning
- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 110 L
- ✓ Air Tank Capacity: 9 L
- ✓ Flow Reverser
- ✓ 24 Kg
- ✓ 1 Year Warranty



## KPT-35 Solar Filling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.5 HP / 4 Bar
- ✓ Flow Rate: 35 L / Min
- ✓ Tank Capacity: 16 L
- ✓ Built-in Heating Element
- ✓ 14 Kg
- ✓ 1 Year Warranty



## KPT-50 Solar Filling Pump

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 6 Bar
- ✓ Flow Rate: 50 L / Min
- ✓ Tank Capacity: 16 L
- ✓ Built-in Heating Element
- ✓ 18 Kg
- ✓ 1 Year Warranty



## KPT-80 Solar Filling Pump

- ✓ 220 V / 50 Hz
- ✓ 1 HP / 8 Bar
- ✓ Flow Rate: 60 L / Min
- ✓ Tank Capacity: 16 L
- ✓ Built-in Heating Element
- ✓ 19 Kg
- ✓ 1 Year Warranty



## OTM-01 Car Radiator Flush Machine

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L
- ✓ Tank Capacity: 35 L
- ✓ Built-in Heating Element
- ✓ 21 Kg
- ✓ 1 Year Warranty



## OTM-03 Car Radiator Flush Machine

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L
- ✓ Tank Capacity: 35 L
- ✓ Built-in Heating Element
- ✓ Flow Reverser
- ✓ 21 Kg
- ✓ 1 Year Warranty



## OTO-R2 Car Radiator Flush Machine

- ✓ 220 V / 50 Hz
- ✓ 0.8 HP / 4 Bar
- ✓ Flow Rate: 63 L
- ✓ Tank Capacity: 45 L
- ✓ Built-in Heating Element
- ✓ Flow Reverser
- ✓ 26 Kg
- ✓ 1 Year Warranty



## KAMMAK-BHR 16+22 Drain Cleaning Machine



Working Range : 50\*200



Max Working Length : 60 M



Motor Speed : 1420 RPM



Motor : 220V / 750W



22 Kg (Only Machine)



1 Year Warranty



## NinjaFlex Drain Cleaning Machine

✓ Working Range: 50-70-100-150 mm

✓ Cable Length: 10 M (Optional)

✓ Cable Diameter (Sheathed) : 16 mm

✓ Used with Cordless Drill

✓ 10 kg (Only Machine)

✓ 1 Year Warranty



## NinjaFlex PRO Drain Cleaning Machine

- ✓ Working Range: DN50 - DN150
- ✓ Cable Length: 20 M (Optional)
- ✓ Cable Diameter: 8 mm
- ✓ Speed : Min. 500 – Max. 2900 RPM
- ✓ Motor: 220 V / 1100 Watt
- ✓ 1 Year Warranty



## Bag Type Drain Sewer Camera

✓ Camera Head Diameter: 23 mm

✓ Camera Resolution: 2mp

✓ Pipe Diameter: DN25 - DN200

✓ Cable Length: Fiberglass 25 m

✓ Screen: 9 inch TFT

✓ Power: 5400 mAh Lithium Ion Battery

✓ 13 Kg

✓ 1 Year Warranty

✓ Camera Head: Waterproof up to 1.5 Bar

✓ Light: 8 x LED (Adjustable)

✓ Perspective: 120° Viewing Angle

✓ Operating Temperature: -20°C / 55°C

✓ Screen Resolution: 1080p

✓ Working Time: 4 Hours

✓ WITHOUT SIGNAL TRANSMITTER



TRANSMITTER

## Bag Type Drain Sewer Camera

- ✓ Camera Head Diameter: 23 mm
- ✓ Camera Resolution: 2mp
- ✓ Pipe Diameter: DN25 - DN200
- ✓ Cable Length: Fiberglass 25 m
- ✓ Screen: 9 inch TFT / 1080P
- ✓ Power: 5400 mAh Lithium Ion Battery
- ✓ 13 Kg
- ✓ 1 Year Warranty
- ✓ Camera Head: Waterproof up to 1.5 Bar
- ✓ Light: 8 x LED (Adjustable)
- ✓ Perspective: 120° Viewing Angle
- ✓ Operating Temperature: -20°C / 55°C
- ✓ Screen Resolution: 1080p
- ✓ Saving Images, Video
- ✓ 512/640 MHZ Transmitter
- ✓ Internal Keyboard



## Revolution Drain Sewer Camera

✓ Pipe Diameter: DN25 - DN200

✓ Camera Size: 25 mm

✓ Focal Length: 10 - 20 cm, solid

✓ Resolution: 2mp

✓ Light: 8 LEDs

✓ Operating Temperature: -20°C to 55°C

✓ 15 Kg

✓ 1 Year Warranty

✓ Cable: Fiberglass 30 m

✓ Screen: 7" TFT, 800 x 600 PX

✓ Working Time: 4 hours

✓ Power Source: 16.8V / Li-Ion battery

✓ Saving Images, Video

✓ 512/640 MHZ Transmitter

✓ Distance Measurement



## Revolution PLUS Drain Sewer Camera

✓ Pipe Diameter: DN25 - DN200

✓ Camera Size: 25 mm

✓ Focal Length: 10 - 20 cm, solid

✓ Resolution: 2mp

✓ Light: 8 LEDs

✓ Operating Temperature: -20°C to 55°C

✓ 15 Kg

✓ 1 Year Warranty

✓ Cable: Fiberglass 30 m

✓ Screen: 7" TFT, 800 x 600 PX

✓ Working Time: 4 hours

✓ Distance Measurement

✓ Power Source: 16.8V / Li-Ion battery

✓ Saving Images, Video

✓ 512/640 MHZ Transmitter

✓ Internal Keyboard



## Revolution MEGA Drain Sewer Camera

✓ Pipe Diameter: DN55 - DN400

✓ Camera Size: 55 mm

✓ Focal Length: 10 - 20 cm, solid

✓ Resolution: 2mp

✓ Light: 14 LEDs

✓ Operating Temperature: -20°C to 55°C

✓ 15 Kg

✓ 1 Year Warranty

✓ Cable: Fiberglass 60 m

✓ Screen: 7" TFT, 800 x 600 PX

✓ Working Time: 4 hours

✓ Distance Measurement

✓ Power Source: 16.8V / Li-Ion battery

✓ Saving Images, Video

✓ 512/640 MHZ Transmitter

✓ Internal Keyboard



## Boiler Radiator Plumbing Cleaner

- ✓ By effectively cleaning debris such as rust, lime and algae in your plumbing, it provides you with heat savings and prolongs the life of your plumbing.
- ✓ It does not harm your plumbing with the components it contains and protects your plumbing from the harmful effects of lime.
- ✓ Due to its concentrated structure, you have the opportunity to clean your entire plumbing with Kammak Cleaner. (Total Amount of Water 100 L.)
- ✓ It will not harm you with its smell. It is an environmentally friendly product. It absolutely does not contain components harmful to the ozone layer and the environment.



## Boiler Radiator Plumbing Protector

- ✓ It effectively prevents the formation of deposits such as rust, lime and moss in your plumbing, thus providing you with heat savings and extending the life of your plumbing.
- ✓ It does not harm your plumbing with the components it contains and protects your plumbing from the harmful effects of lime.
- ✓ Due to its concentrated structure, you have the opportunity to protect your entire plumbing with Kammak Protector. (Total Amount of Water 100 L.)
- ✓ It will not harm you with its smell. It is an environmentally friendly product. It absolutely does not contain components harmful to the ozone layer and the environment.



# CONTACT

[www.kammakpumps.com](http://www.kammakpumps.com) / [info@kammak.com.tr](mailto:info@kammak.com.tr)

+90-224-223-28-98 / +90-546-223-28-98

Cataltepe Mah. BESOB Sanayi Sitesi 7. Sok.  
No: 40, 16450, Kestel/BURSA/TURKEY